

WAX TECHNOLOGIES



TABLE OF CONTENTS

ABOUT SPEED SERIES	3
FC SPEED SERIES	4
RC SPEED SERIES	5
GLIDE WAX SERIES ULTRA FLUOROCARBON GLIDE WAXES (UF) HIGH FLUOROCARBON GLIDE WAXES (HF) LF RACE FLUORINATED GLIDE WAXES (LFR) FLUORINATED GLIDE WAXES (LFR) ALPINE BASE MIX HARDENING POWDERS (HP)	6 7 7 7 7 8 8 8 8
LIQUID PRODUCTS UF GLIDE WAXES HF GLIDE WAXES LF GLIDE WAXES LIQUID BASE WAXES FOR GLIDE ZONE	1 1 1 1:
POS DISPLAY	1
GRIP WAXES FLUORINATED GRIP WAXES (GF) FLUORINATED KLISTERS (KF)	1 . 1. 1.





FC SPEED - 100% FLUOROCARBON PRODUCTS AND RC SPEED HIGH PERFORMANCE LIQUID GLIDE WAXES.

When the SPEED has no limits. Vauhti FC SPEED and RC SPEED products have superb characteristics. They minimize the surface energy of the ski base, making it super-hydrophobic and dirt-repelling. At the same time, they are excellent in cold conditions to reduce dry friction. The speed, glide sensitivity, and durability of these glide waxes are excellent in all weather conditions. With versatile application methods every skier will benefit, even the lightweight skiers.

Same as previous FC-products, but with purified raw materials to comply with ECHA regulations on fluorocarbon substances, PFOA < 25 ppb.

FC SPEED POWDERS

FC SPEED BLOCKS

PACKAGE SIZE: 30G/1OZ

PACKAGE SIZE: 20G/0.7OZ



320-FCSPW



315-FCSBW





320-FCSPM



315-FCSBM

FC SPEED MID 0/-6°C | 32/21°F for all snow types, especially

on new snow and damp snow.



320-FCSPC



315-FCSBC

FC SPEED COLD -6/-20°C | 21/-4°F for all snow types on cold conditions



320-FCSPLDR



315-FCSBLDR

FC SPEED LDR +5/-10°C | 41/14°F for all snow types, especially in old and man-made snow

RC SPEED LIQUID GLIDE WAXES

They are based on ingredients from the highest level of chemical research used in glide wax series combined with purified fluorocarbon top coating powders (PFOA < 25 ppb). All these together give the products high speed racing performance, high hydrophobicity, superb durability in all snow conditions.





341-LRCSW
RC SPEED WET
+10/-1°C | 50/30°F
for all snow types from wet snow

to damp snow to zero degrees.


341-LRCSM
RC SPEED MID
+2/-4°C | 36/25°F
for all snow types, especially on
new snow and damp snow.





341-LRCSC RC SPEED COLD -3/-15°C | 27/5°F for all snow types on cold conditions.

341-LRCSLDR
RC SPEED LDR
+5/-10°C | 41/14°F
for all snow types, especially in old
and man-made snow.



GLIDE WAXES

Glide waxes are produced in automatic process, where in each wax will possess optimized production parameters. The automation will monitor the manufacturing processes and casting temperatures of each product at a precision of one tenth of a decimal place. Waxes are based on ingredients from the highest level of chemical research. Fluorocarbon additives comply with ECHA regulations on fluorocarbon substances, PFOA < 25 ppb. Modern equipment and technology will ensure the high quality of the products.

ULTRA FLUOROCARBON GLIDE WAXES (UF)

PACKAGE SIZES: 45G | 1.6OZ









Composition and contents of fluorinated additives in UF glide waxes are optimized. The composition of wax raw materials have been selected by precise laboratory analysis and numerous field tests. A special product for different snow types can be found

UF WET

+10/-6°C | 50/21°F

UF COLD -3/-15°C | 27/5°F

UF MID

+2/-4°C | 36/25°F

UF LDR

+5/-10°C | 41/14°F

HIGH FLUOROCARBON GLIDE WAXES (HF)

PACKAGE SIZES: 45G / 90G / 180G | 1.6OZ / 3.2OZ / 6.3OZ















The series is intended specifically for competitive skiers and demanding fitness skiers. High fluorocarbon content provides for supreme water and dirt repellence. The entire line is suitable for all snow types, if the air humidity is over 55% and snow is humid or wet.

HF WET

+10/-1°C | 50/30°F

HF MID

0/-5°C | 32/23°F

HF COLD

-1/-10°C | 30/14°F

HF POLAR

-6/-15°C | 21/5°F

HF MOLY MID

+3/-5°C | 37/23°F

HF MOLY COLD

-5/-20°C | 23/-4°F

HF MIX WET&COLD

+10/-1°C | 50/30°F

-1/-10°C | 30/14°F

LF RACE FLUORINATED GLIDE WAXES (LFr)

PACKAGE SIZES:

45G / 90G / 180G / 540G | 1.6OZ / 3.2OZ / 6.3OZ / 19OZ













The series is intended specifically for active skiers and competitive skiers for training rounds. Fluorinated products are suitable for all snow types and weather conditions.

LF RACE WET

+10/-1°C | 50/30°F

LF RACE MID

0/-5°C | 32/23°F

LF RACE COLD

-1/-10°C | 30/14°F

LF RACE POLAR

-1/-25°C | 30/-13°F

LF RACE GRAPHITE

-1/-25°C | 30/-13°F

LF RACE ALL TEMP

FLUORINATED GLIDE WAXES (LF) PACKAGE SIZES: 60G | 2.1OZ

The series is intended specifically for recreational skiers. Fluorinated LF glide series have improved glide performance compared to basic waxes. The content of these products is the same as Vauhti LF RACE-gliders except with lower fluorocarbon content.







LF WET +10/-1°C | 50/30°F

LF MID 0/-5°C | 32/23°F

LF COLD -1/-10°C | 30/14°F

LF POLAR -1/-25°C | 30/-13°F

LF GRAPHITE -1/-25°C | 30/-13°F

LF ALL TEMP







ALPINE BASE MIX

PACKAGE SIZE: 180G | 6.3OZ



1000-AFB180 ALPINE BASE MIX FLUORINATED

HARDENING POWDERS (HP)

PACKAGE SIZE: 35G | 1.2OZ





Fluorocarbon hardening powders are designed for conditions in which the snow is exceptionally abrasive. For old snow, artificial snow or especially if the snow re-freezes after a long period of thaw.

321-HPC **HP COLD** -6/-12°C | 32/10°F

321-HPP **HP POLAR** -10/-25°C | 14/-13°F

°C	°F	UF GLIDE WAXES	45G
+10/-6	50/21	UF WET	330-UFW45
+2/-4	36/25	UF MID	330-UFM45
-3/-15	27/5	UF COLD	330-UFC45
+5/-10	41/14	UF LDR	330-UFLDR45

°C	°F	HF GLIDE WAXES	45G	90G	180G
+10/-1	50/30	HF WET	332-HFW45	333-HFW90	334-HFW180
0/-5	32/23	HF MID	332-HFM45	333-HFM90	334-HFM180
-1/-10	30/14	HF COLD	332-HFC45	333-HFC90	334-HFC180
-6/-15	21/5	HF POLAR	332-HFP45	333-HFP90	334-HFP180
+3/-5	37/23	HF MOLY MID	332-HFMM45	333-HFMM90	334-HFMM180
-5/-20	23/-4	HF MOLY COLD	332-HFMC45	333-HFMC90	334-HFMC180
+10/-10	50/14	HF MIX WET&COLD	332-HFWC45		

°C	°F	LF RACE GLIDE WAXES	45G	90G	180G	540G
+10/-1	50/30	LF RACE WET	343-LFRW45	344-LFRW90	345-LFRW180	346-LFRW540
0/-5	32/23	LF RACE MID	343-LFRM45	344-LFRM90	345-LFRM180	346-LFRM540
-1/-10	30/14	LF RACE COLD	343-LFRC45	344-LFRC90	345-LFRC180	346-LFRC540
-1/-25	30/-13	LF RACE POLAR	343-LFRP45	344-LFRP90	345-LFRP180	346-LFRP540
-1/-25	30/-13	LF RACE GRAPHITE	343-LFRG45	344-LFRG90	345-LFRG180	346-LFRG540
		LF RACE ALL TEMP	343-LFRA45	344-LFRA90	345-LFRA180	346-LFRA540

°C	°F	LF GLIDE WAXES	60G
+10/-1	50/30	LF WET	336-LFW60
0/-5	32/23	LF MID	336-LFM60
-1/-10	30/14	LF COLD	336-LFC60
-1/-25	30/-13	LF POLAR	336-LFP60
-1/-25	30/-13	LF RACE GRAPHITE	336-LFG60
		LF RACE ALL TEMP	336-LFA60



LIQUID PRODUCTS

Revolutionary liquid ski waxes are highly used from recreational skiers up to World Cup level in all ski sports. High-quality organic solvents used in these products have excellent solubility, transportation properties, and optimized evaporation time. Wax molecules absorb from the liquids into the base material effectively and gently and retain the performance of the ski base longer than hot melted paraffins. Fluorocarbon additives comply with ECHA regulations on fluorocarbon substances, PFOA < 25 ppb.

Easy waxing without iron or bench.

Package size: 80 ML

UF GLIDE WAXES

Vauhti UF liquid glide waxes are based on the ingredients used in the Vauhti UF series. On its best when used on top of HF Base or traditional paraffin waxes. Liquid UF waxes are an excellent product to be used as the base wax or mixed together with the fluorocarbon blocks.









341-LUFW

UF WET LIQUID GLIDE

+10/-6°C | 50/21°F

For all snow types from wet snow to damp snow down to zero degrees.

341-LUFM

UF MID LIQUID GLIDE

+2/-4°C | 36/25°F

For all snow types, especially on new snow and damp snow.

341-LUFC

UF COLD LIQUID GLIDE

-3/-15°C | 27/5°F

For all snow types on cold conditions.

341-LUFLDR

UF LDR LIQUID GLIDE

+5/-10°C | 41/-4°F

For all snow types, especially in old and man-made snow.

HF GLIDE WAXES

Vauhti HF liquid glide waxes are based on the ingredients used in the Vauhti HF series. On its best when used on top of HF Base or traditional paraffin waxes. Liquid HF waxes are an excellent product to be used as the base wax or mixed together with the fluorocarbon blocks.







341-QHFW **HF WET LIQUID GLIDE**

+10/-1°C | 50/30°F

For all snow types from wet snow to damp snow down to zero degree.

341-QHFM

HF MID LIQUID GLIDE

+1/-8°C | 34/18°F

For all snow types on damp snow.

341-QHFC

HF COLD LIQUID GLIDE

-2 /-15°C | 34/18°F

Suitable for cold and fine grained snow.

LF GLIDE WAXES

Vauhti LF liquid glide waxes are based on the ingredients used in the Vauhti racing paraffins. On its best when used on top of HF Base.







341-QLFW **LF WET LIQUID GLIDE** +10/-1°C | 50/30°F

For all snow types from wet snow to damp snow down to zero degree.

341-OLFM LF MID LIQUID GLIDE

+1/-8°C | 34/18°F

For all snow types, especially on new snow and damp

341-OLFP **LF POLAR LIQUID GLIDE** -2/-20°C | 28/-4°F

For all snow types on cold conditions.

LIQUID BASE WAXES FOR GLIDE ZONE

Vauhti liquid base waxes contain high quality polyethylene waxes which makes a hard, dirt-resistant and wear-resistant coating on the ski base under the liquid glide waxes or traditional paraffins.





341-LHFBA **HF BASE**

High fluorocarbon base wax for glide zone.

341-LABA **ALPINE BASE**

Fluorinated base wax for alpine skis.

STANDING DISPLAY

400-1018
POS DISPLAY FOR 165
BOTTLES

400-1007B
POS DISPLAY FOR 110
BOTTLES



TABLE DISPLAY

400-1017B
POS DISPLAY FOR
56 BOTTLES

400-1006B
POS DISPLAY FOR
42 BOTTLES





FLUORINATED GRIP WAXES (GF)

PACKAGE SIZE: 45G | 1.6OZ

Excellent performance of GF fluorinated grip waxes comes from a revolutionary ingredient that reacts to temperature precisely. Thanks to this innovation, the risk of the grip wax icing in sub-zero temperatures is reduced considerably and the grip properties are exceptional. GF grip waxes have wide operation range, which makes them a good choice also for recreational skiers. Fluorocarbon additives comply with ECHA regulations on fluorocarbon substances, PFOA < 25 ppb.



347-GFR **GF RED** +2/-1°C | 36/30 °F



347-GFC GF CARROT (old snow) -2/-12°C | 28/10°F



347-GFB **GF BLUE** -3/-10°C | 27/14°F



347-GFG **GF GREEN** -4/-20°C | 25/-4°F



347-GFV **GF VIOLET** -1/-7°C | 30/19°F



347-GFP GF PINK (new snow) 0/-5°C | 32/23°F



347-GFS **GF SILVER** +1/-4°C | 33/25°F

FLUORINATED KLISTERS (KF) PACKAGE SIZE: 60G | 2.1OZ



382-KFBA **KF BASE** +10/-20°C | 50/-4°F



382-KFR **KF RED** +10/+2°C | 50/36°F



382-KFV **KF VIOLET** +3/-8°C | 37/18°F



382-KFB **KF BLUE** +1/-15°C | 34/5°F



382-KFU **KF UNIVERSAL** +10/-7°C | 50/19°F



VAUHTI SPEED OY PAMILONKATU 9 80100 JOENSUU FINLAND +358 (0)10 3465310

WWW.VAUHTI.FI